

## DEUREX<sup>®</sup> PURE

Chemical characterisatio	n: Adsorbent made of Polyethylene wax
Use:	<ul> <li>Oil and chemical adsorbing material for adsorption and durable keeping of oils, chemicals and other hydrophobic liquids</li> <li>Water protection, applicable for all waters</li> <li>Disaster management and cases of average Further fields of application:</li> <li>Filter technology</li> <li>Waste water and sewage treatment</li> <li>Purification plants and water supply facilities</li> <li>All types of oil seperators</li> <li>Leakages, e. g. at plants, machinery or vehicles</li> </ul>
Properties:	<ul> <li>1 kg of DEUREX<sup>®</sup> Pure adsorbs 6.55 l of oil</li> <li>DEKRA test report no.: 55251253/15</li> <li>Regarding the oil adsorbing and oil keeping properties, DEUREX<sup>®</sup> Pure meets the requirements for oil absorbents, announcement of the Federal Ministry for the Environment, Nature Conservation and Nuclear Safety dt. 12<sup>th</sup> March 1990 (GMBI – common ministerial gazette – p. 335) and 23<sup>rd</sup> April 1998 for type I, II, SF and for the LTwS – storage and transport of water-hazardous substances – no. 27 (June 1999).</li> <li>DEUREX<sup>®</sup> Pure meets the requirements of the technical instructions on Municiple Waste for oil absorbents (type I, II and III)</li> <li>DEUREX<sup>®</sup> Pure meets the requirements for floatability</li> <li>Extremly big surface area, &gt; 3 m<sup>2</sup>/g</li> <li>Electric non-conducter</li> <li>Inert, no chemical reaction with other products</li> </ul>
Ecological advantages:	<ul> <li>Excellent evironmental compatibility</li> <li>Non biodegradable</li> <li>Water protection due to water insolubility, no water adsorption</li> <li>No residues in the water</li> <li>Long-term adsorbent</li> <li>Ground water protection, remains buoyant even when saturated</li> <li>Easy to separate from water</li> <li>Durable shelf-life, no decay of product</li> <li>No raise of dust, harmless concerning occupational health</li> </ul>
Disposal:	<ul> <li>Incineration possible by consideration of the adsorbed materials and substances, calorific value 40 – 45 MJ/kg</li> <li>Recycling</li> </ul>
Technical data:	Colour:WhiteConsistency:Cotton likeDensity:< 1 g/cm³Oil binder demand:1 kg of DEUREX® Pure adsorbs 6.55 l of oil
Safety:	The product is no hazardous preparation according to Directive 1999/45/EC. It is not subject to labelling according to EC-Directive 67/548/EEC and Regulation (EC) 1272/2008.

Page 1 of 1 Revision: June 2021

ΕN

